



D. G. Ramchandani
Chief Engineer

Gujarat Water Supply & Sewerage Board
Narmada, Water Resources,
Water Supply and Kalpsar Department

Jalseva Bhavan, Opp. Air Force, Sector-10/A,
Gandhinagar - 382010.
Tel : 9978441101-05, Fax : 079 232 25972-79,
E-mail : gwssb.monicecell@gmail.com, setechcell@gmail.com

No. Moni Cell/103

Date: 06-3-2020

To,

The Chief Engineer
Vadodara / Ahmedabad/ Rajkot
Bhuj/ Junagadh/Surat/WASMO
GJTI/ Urban Cell

Subject:- Optimization of Network diagram of Regional water supply scheme

Reference: Circular No. GWSSB/ M & P/102 dated 6th March 2020

With reference to above subject, circular under reference is issued to encourage all Engineers of GWSSB, GWIL and WASMO to participate in competition of design of Network Diagram of Regional water supply scheme.

Following schemes are offered for competition.

Sr. No.	District	Name of work	Village
1	Dahod	Dohad- Garadu RWSS	72
2	Dahod	Kadana Dam Based Bulk Pipeline	65
3	Dahod	Panam Dam based Sanjeli RWSS	53
4	Patan	Radhanpur town based on NMC Ranakpur taping (Old M-4, BK-3 Project)At ch. 370.44 km.	123
5	Anand	Umreth RWSS	38
6	Bharuch	Netrang Valiya RWSS	135
7	Dahod/PM/C hotta Udepur	Panam Dam Based Bulk Pipeline Project	210
8	ChottaUdepur	Old hafeshwar	145

- Field office shall prepare the map of the Project in which village shall be show as per the location and elevation of the village also map shall indicate off-take points and useable existing assets. PDF file of these maps shall be sent to System Manager, GWSSB for uploading on website before **9th March 2020.**

c:\users\admin\documents\new letter pad gwssb.docx

- Evaluation of network diagrams on **17th March 2020 @ GJTI Gandhinagar @ 11:00 Hrs**
- Optimization by the evaluation committee of Network with least penalty marks-**17th March 2020**

Copy respectfully submitted to:

1. The Chairman GWSSB for information please
2. The Member Secretary for information please


Chief Engineer

Copy submitted to:

The Director, GJTI, Gandhinagar for information please

The System Manager, for information and necessary actions please